



PRICE LIST

TECHNICAL INSULATION
VALID FROM 1 APRIL 2024
GERMANY

INDUSTRIAL APPLICATIONS



PAROC[®]

TABLE OF CONTENTS

Contact Us 3

PAROC products for industrial applications 4

Pipe Sections

PAROC Pro Section (WR) 100	6
PAROC Pro Section (WR) 100 AluCoat	6
PAROC Pro Section (WR) 120	8
PAROC Pro Section (WR) 120 AluCoat	8
PAROC Pro Section (WR) 140	8
PAROC Pro Section (WR) 140 AluCoat	8
PAROC Pro Section (WR) DL 100	9
PAROC Pro Section (WR) DL 120	9
PAROC Pro Section (WR) DL 140	10
PAROC Pro Section (WR) DL1	10
PAROC Pro Curve (WR) 100	11
PAROC Pro Curve (WR) 120	11
PAROC Pro Curve (WR) 140	11
PAROC Pro Lock (WR) 100	12
PAROC Pro Lock (WR) 140	13

Bends and Segments

PAROC Pro Segment (WR) 100	14
PAROC Pro Segment (WR) 120	14
PAROC Pro Segment (WR) 140	15
PAROC Pro Segment (WR) DL 100	15
PAROC Pro Segment (WR) DL 120	16
PAROC Pro Segment (WR) DL 140	16
PAROC Pro Segment (WR) DL1	17
PAROC Pro Bend (WR) 100	18
PAROC Pro Bend (WR) 120	18
PAROC Pro Bend (WR) 140	19

Lamella Mats

PAROC Pro Lamella Mat (WR) AluCoat	20
PAROC Pro Lamella Mat (WR) 80 AluCoat	21

Wired Mats

PAROC Pro Wired Mat (WR) 550	22
PAROC Pro Wired Mat (WR) 550 AL1	22
PAROC Pro Wired Mat (WR) 660	23
PAROC Pro Wired Mat (WR) 660 AL1	23
PAROC Pro Wired Mat (WR) 660 AluCoat	23
PAROC Pro Wired Mat 80	24
PAROC Pro Wired Mat 80 Comfort	24
PAROC Pro Wired Mat 80 AluCoat	24
PAROC Pro Wired Mat LE 80	24
PAROC Pro Wired Mat LE 80 Comfort	24
PAROC Pro Wired Mat (WR) 680	25
PAROC Pro Wired Mat (WR) 680 AL1	25
PAROC Pro Wired Mat (WR) 680 AluCoat	25
PAROC Pro Wired Mat 100	26
PAROC Pro Wired Mat 100 Comfort	26
PAROC Pro Wired Mat 100 AluCoat	26
PAROC Pro Wired Mat LE 100	26
PAROC Pro Wired Mat LE 100 Comfort	26
PAROC Pro Wired Mat (WR) 700 TH1	27
PAROC Pro Wired Mat (WR) 700 AL1 TH1	27
PAROC Wired Mat (WR) 700 AL1 TH1/AluCoat TH1	27

Slabs

PAROC Pro Roof Slab (WR) 20 kPa	28
PAROC Pro Roof Slab (WR) 50 kPa	29
PAROC Pro Roof Slab 80 kPa	30
PAROC Pro Slab (WR) 350	31
PAROC Pro Slab (WR) 350 AluCoat	31
PAROC Pro Slab (WR) 450	32
PAROC Pro Slab (WR) 450 AluCoat	32
PAROC Pro Slab (WR) 640	33
PAROC Pro Slab (WR) 640 AluCoat	33
PAROC Pro Slab (WR) 660	34
PAROC Pro Slab (WR) 660 AluCoat	34
PAROC Pro Slab (WR) 680	35
PAROC Pro Slab (WR) 680 AluCoat	35
PAROC Pro Slab (WR) 700	36
PAROC Pro Slab (WR) 700 AluCoat	36

Mats

PAROC Pro Mat (WR) 350	37
PAROC Pro Mat (WR) 350 AluCoat	37
PAROC Pro Mat (WR) 640	38
PAROC Pro Mat (WR) 640 AluCoat	38
PAROC Pro Mat (WR) 660	39
PAROC Pro Mat (WR) 660 AluCoat	39
PAROC Pro Loose Mat (WR) 600	40
PAROC Pro Loose Mat (WR) 660	40
PAROC Pro Loose Wool	41

Clad System

PAROC Pro Section (WR) 140 Clad T	42
PAROC Pro Combi (WR) 140 Clad T	44
PAROC Pro Bend (WR) 140 Clad	45
PAROC Pro Segment (WR) 140 Clad	46
PAROC Pro Lamella Mat (WR) Clad	47
PAROC Clad Dots	48
PAROC Clad Tape	48
PAROC Clad Alu Tape	48
PAROC Pro Roof Wedge (WR)	48

Accessories

PAROC Pallet Hoods	50
PAROC Pro Knives	50
PAROC Spatula	50
PAROC CUI Spacers	51
PAROC Head Pins Insulated	52
PAROC Head Pins	52
PAROC Welding Device	53
PAROC AluCoat Tape	53
PAROC Galvanized Wire	53
PAROC HT Tape	54
PAROC Hvac Dots	54
PAROC Pro Cladding Support 100 and 140	54

(WR) = water-repellent version available without surcharge (article numbers refer to non-WR version)



PAROC PRO

products for industrial applications are tested according to both ASTM and EN standards

**Quick access: Click on the desired product or content page to immediately navigate to it.
Clicking on 'Table of Contents' will direct you back to the index page.
Hyperlinks will take you to relevant additional pages or research sources.**

CONTACT US

PAROC GmbH

Phone: +49 (0) 40 33 49 60000

Paroc.de@owenscorning.com

ask your local sales representative for updated terms and conditions

-  Paroc Headquarter
-  Paroc Production / Branch
-  Paroc Sales Office
-  Paroc Sales Representative



INTERNATIONAL CONTACTS

Segment Manager Industry

Rune Hagensen

rune.hagensen@owenscorning.com

Technical Support

Craig Treanor

craig.treanor@owenscorning.com

Marketing Manager Industry

Claudia Beling

claudia.beling@owenscorning.com

PAROC PRODUCTS FOR INDUSTRIAL APPLICATIONS



CONTENTS

PIPE SECTIONS

BENDS AND SEGMENTS

LAMELLA MATS

WIRED MATS

SLABS

MATS


CLAD-SYSTEM

ACCESSORIES

EXPLANATION OF SYMBOLS

TECHNICAL SPECIFICATIONS


Melting point




Non-combustible



Maximum service temperature




Nominal density




DIMENSIONS

Thickness




Width




Length



Inner diameter



Insulation thickness



Section length



ADDITIONAL INFORMATION

Data sheet

Accessories

Installation video

Packing details

Dimension Guide

Installation manual

Product in stock

	11.11	123456	
--	-------	--------	--

Water-repellent version available without surcharge

(WR)

Article numbers refer to non-WR version

PIPE SECTIONS

PAROC PRO SECTION WR 100

PAROC PRO SECTION 100

PAROC PRO SECTION WR 100 ALUOCOAT

PAROC PRO SECTION 100 ALUOCOAT

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC CUI Spacers
 PAROC Galvanized Wire
 PAROC Pallet Hoods

Concentric, dimensionally accurate stone wool pipe sections, in one or two segments, slotted on one side



INSULATION CODE
 10.04.03.50.10
 10.04.04.50.10

-1000 °C

NON-COMBUSTIBLE

640 °C

100 kg/m³

12 - 1016 mm

20 - 160 mm

1200 mm

OUTSTANDING WATER REPELLENCY

OUTER DIAMETER RELIABLE

Nominal insulation thickness, mm										
Inner diameter mm	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
18	4.85	7.00	10.10	16.05	22.35					
22	4.95	7.40	10.60	16.30	22.90	26.55	36.95			
28	5.00	8.10	11.60	16.65	23.90	30.15	40.65	45.10		
35	5.60	9.15	12.75	17.30	25.10	31.20	42.00	47.15	54.25	
42	6.50	10.55	13.75	18.05	26.85	32.95	43.95	48.85	56.55	
48	7.35	11.15	14.90	18.85	27.55	33.90	45.30	50.45	58.65	
54	8.05	11.90	15.75	20.20	28.40	35.60	46.90	51.90	61.75	
60	8.15	12.40	16.95	21.25	29.35	37.30	48.25	53.95	63.00	
64	9.00	12.90	17.30	22.30	30.55	38.15	49.65	55.40	64.65	
70	10.60	14.10	18.35	22.90	32.70	39.40	51.25	57.35	66.80	
76	11.45	14.30	19.15	24.60	34.40	40.85	51.90	59.65	69.15	85.75
89	13.00	16.20	21.90	27.70	36.65	45.25	54.25	65.45	75.65	90.70
102		18.35	24.30	30.80	38.85	48.00	57.45	69.60	79.20	101.60
108		18.65	24.80	31.70	40.15	48.95	58.60	71.90	79.80	103.15
114		18.95	25.20	32.50	40.85	49.95	59.55	73.75	80.80	104.20
127		19.80	25.95	33.55	41.70	50.60	60.85	75.20	82.60	105.25
133		20.60	26.95	34.85	43.20	52.40	63.35	78.65	85.65	106.90



Please email to Paroc.de@owenscorning.com



PIPE SECTIONS

PAROC PRO SECTION WR 100

PAROC PRO SECTION 100

PAROC PRO SECTION WR 100 ALUCOAT

PAROC PRO SECTION 100 ALUCOAT

Concentric, dimensionally accurate stone wool pipe sections,
in one or two segments, slotted on one side



Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC CUI Spacers
 PAROC Galvanized Wire
 PAROC Pallet Hoods

Nominal insulation thickness, mm										
Inner diameter mm	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
140		21.90	28.90	36.75	45.40	54.60	64.90	80.95	87.30	110.30
159		23.85	30.80	39.15	47.70	57.20	68.40	87.60	92.15	117.75
168		32.90	36.15	44.90	57.40	68.00	82.10	92.60	105.85	124.10
194		37.20	41.30	50.00	62.80	74.25	88.65	99.60	114.20	134.60
219		41.55	44.65	55.40	68.30	80.55	96.45	108.10	123.35	145.00
245		48.85	60.20	72.10	81.85	93.25	107.95	122.10	137.70	169.70
273		53.25	65.80	75.65	86.45	97.55	113.35	138.85	145.60	180.70
305			71.35	84.80	89.90	105.50	122.75	143.15	157.70	192.10
324			75.00	86.50	102.60	110.60	139.25	149.65	170.40	200.00
356			81.45	94.65	110.05	119.70	140.35	158.90	176.65	211.90
371			83.60	96.55	113.60	123.40	142.20	163.70	186.60	216.05
406			90.30	104.40	122.40	145.80	154.35	175.20	199.30	240.30
457			99.65	116.55	134.60	148.20	170.35	193.10	214.45	248.55
508				130.95	143.50	158.50	182.15	207.60	248.55	294.35
533				135.65	152.85	166.90	190.75	216.40	252.30	298.50
558				140.15	162.20	175.30	199.10	225.05	259.15	307.10
612				146.00	169.30	190.30	212.05	242.05	272.65	324.45
714				165.40	198.45	226.40	240.85	308.55	324.05	386.60
813				188.30	219.15	264.85	305.35		355.35	521.10
914				303.50	346.45	367.85	413.05	436.60	624.25	696.50

PIPE SECTIONS






PAROC PRO SECTION WR 120

PAROC PRO SECTION 120

PAROC PRO SECTION WR 120 ALUCOAT

PAROC PRO SECTION 120 ALUCOAT

Concentric, dimensionally accurate stone wool pipe sections, in one or two segments, slotted on one side



Need prices? Please email to Paroc.de@owenscorning.com

PIPE SECTIONS







PAROC PRO SECTION WR 140

PAROC PRO SECTION 140

PAROC PRO SECTION WR 140 ALUCOAT

PAROC PRO SECTION 140 ALUCOAT

PAROC Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



Need prices? Please email to Paroc.de@owenscorning.com

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC CUI Spacers
 PAROC Galvanized Wire
 PAROC Pallet Hoods

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC CUI Spacers
 PAROC Galvanized Wire
 PAROC Pallet Hoods

PIPE SECTIONS


PAROC PRO SECTION (WR) DL 100

Stonewool pipe section in two layers for industrial pipelines


 **Accessories (pages 50 - 54):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers
PAROC Galvanized Wire
PAROC Pallet Hoods





INSULATION CODE
10.04.03.50.10/
10.04.04.50.10



-1000 °C



NON-COMBUSTIBLE


640 °C


100 kg/m³


168 - 914 mm


80 - 300 mm


1200 mm

Watch our video
on energy efficiency with
PAROC Pro Sections!



Need prices? Please email to Paroc.de@owenscorning.com

PIPE SECTIONS


PAROC PRO SECTION (WR) DL 120

Stonewool pipe section in two layers for industrial pipelines


 **Accessories (pages 50 - 54):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers
PAROC Galvanized Wire
PAROC Pallet Hoods




INSULATION CODE
10.04.04.60.12



-1000 °C


NON-COMBUSTIBLE


640 °C


120 kg/m³


219 - 914 mm


80 - 300 mm


1200 mm



Need prices? Please email to Paroc.de@owenscorning.com







PIPE SECTIONS

PAROC PRO SECTION (WR) DL 140

PAROC Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC CUI Spacers
 PAROC Galvanized Wire
 PAROC Pallet Hoods



Need prices? Please email to Paroc.de@owenscorning.com








PIPE SECTIONS

PAROC PRO SECTION (WR) DL1

Stonewool pipe section in 2 layers for industrial pipe lines



Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC CUI Spacers
 PAROC Galvanized Wire
 PAROC Pallet Hoods



Need prices? Please email to Paroc.de@owenscorning.com

PIPE SECTIONS


PAROC PRO CURVE (WR) 100
PAROC PRO CURVE (WR) 120
PAROC PRO CURVE (WR) 140

 **Accessories (pages 50 - 54):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers
PAROC Galvanized Wire
PAROC Pallet Hoods


PAROC Pro Section (WR) is a non-combustible stonewool pipe section for industrial pipe lines where the risk of CUI (corrosion under insulation) is present





INSULATION CODE
10.08.03.50.10/
10.08.04.50.10 (100)
10.08.04.40.12 (120)
10.08.04.80.14 (140)


~1000 °C


NON-COMBUSTIBLE


640/680 °C


100/120/140 kg/m³


114 - 914 mm


30 - 120 mm

Watch our video
on energy efficiency with
PAROC Pro Sections!


OUTSTANDING
WATER REPELLENCY


BETTER
RELIABILITY
OUTER

WR 100 WR 120 WR 140

Need prices? Please email to Paroc.de@owenscorning.com

PIPE SECTIONS





PAROC PRO LOCK (WR) 100

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC CUI Spacers
 PAROC Galvanized Wire
 PAROC Pallet Hoods



INSULATION CODE
 10.04.03.50.10/
 10.04.04.50.10



Nominal insulation thickness, mm					
Inner diameter mm	80	100	120	140	160
	€/m	€/m	€/m	€/m	€/m
219	131.75	161.20	188.45	231.55	288.35
245	153.70	184.90	221.90	254.45	297.80
273	167.25	195.75	227.00	279.10	322.35
305	169.35	215.00	262.20	288.00	346.65
324	187.65	224.10	269.45	321.40	365.40
356	193.65	239.95	277.95	334.60	384.95
371	196.00	234.10	288.90	340.70	403.35
406	212.70	267.35	312.70	355.80	418.90
457	235.00	291.55	331.70	388.10	434.55
508	251.35	314.75	355.45	404.05	564.35
533	263.00	319.90	410.90	480.55	632.55
558	274.65	357.35	434.00	508.30	668.70
612	292.40	400.75	487.30	542.45	711.60
714	415.25	502.35	622.30	707.50	853.75
813	526.25	612.30	685.20	780.75	
914	569.45	709.10	791.35		



Please email to Paroc.de@owenscorning.com









PIPE SECTIONS

PAROC PRO LOCK (WR) 140

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams



Accessories (pages 50 - 54):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers
PAROC Galvanized Wire
PAROC Pallet Hoods








Need prices? Please email to Paroc.de@owenscorning.com

BENDS AND SEGMENTS

PAROC PRO SEGMENT (WR) 100

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



Need prices? Please email to Paroc.de@owenscorning.com



Accessories (pages 50 - 54):

PAROC Pro Knife XTK001/003

PAROC CUI Spacers






PAROC Galvanized Wire

PAROC Pallet Hoods

BENDS AND SEGMENTS

PAROC PRO SEGMENT (WR) 120

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



Need prices? Please email to Paroc.de@owenscorning.com



Accessories (pages 50 - 54):

PAROC Pro Knife XTK001/003

PAROC CUI Spacers






PAROC Galvanized Wire

PAROC Pallet Hoods

BENDS AND SEGMENTS

PAROC PRO SEGMENT (WR) 140

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section








Need prices? Please email to Paroc.de@owenscorning.com

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC CUI Spacers
 PAROC Galvanized Wire
 PAROC Pallet Hoods

BENDS AND SEGMENTS

PAROC PRO SEGMENT (WR) DL 100

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



Need prices? Please email to Paroc.de@owenscorning.com

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC CUI Spacers
 PAROC Galvanized Wire
 PAROC Pallet Hoods

BENDS AND SEGMENTS

PAROC PRO SEGMENT (WR) DL 120

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section








Accessories (pages 50 - 54):

PAROC Pro Knife XTK001/003

PAROC CUI Spacers

PAROC Galvanized Wire

PAROC Pallet Hoods



Need prices? Please email to Paroc.de@owenscorning.com

BENDS AND SEGMENTS

PAROC PRO SEGMENT (WR) DL 140

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section








Accessories (pages 50 - 54):

PAROC Pro Knife XTK001/003

PAROC CUI Spacers

PAROC Galvanized Wire

PAROC Pallet Hoods



Need prices? Please email to Paroc.de@owenscorning.com

BENDS AND SEGMENTS






PAROC PRO SEGMENT (WR) DL1

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section

 **Accessories (pages 50 - 54):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers
PAROC Galvanized Wire
PAROC Pallet Hoods



INSULATION CODE
10.08.03.50.10/
10.08.04.50.10 (100)
10.08.04.80.14 (140)



Need prices? Please email to Paroc.de@owenscorning.com

BENDS AND SEGMENTS







PAROC PRO BEND (WR) 100

Prefabricated insulation component made of stonewool



Accessories (pages 50 - 54):

PAROC Pro Knife XTK001/003
PAROC CUI Spacers
PAROC Galvanized Wire
PAROC Pallet Hoods



Need prices? Please email to Paroc.de@owenscorning.com

BENDS AND SEGMENTS






PAROC PRO BEND (WR) 120

Prefabricated insulation component made of stonewool



Accessories (pages 50 - 54):

PAROC Pro Knife XTK001/003
PAROC CUI Spacers
PAROC Galvanized Wire
PAROC Pallet Hoods



Need prices? Please email to Paroc.de@owenscorning.com

BENDS AND SEGMENTS


PAROC PRO BEND (WR) 140

Prefabricated insulation component made of stonewool


 **Accessories (pages 50 - 54):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers
PAROC Galvanized Wire
PAROC Pallet Hoods




INSULATION CODE
10.08.04.80.14



~1000 °C


NON-COMBUSTIBLE



680 °C


140 kg/m³

 15 - 168 mm

 30 - 100 mm


OUTSTANDING
WATER REPELLENCY


RELIABLE
OUTER

Need prices? Please email to Paroc.de@owenscorning.com


LAMELLA MATS

PAROC PRO LAMELLA MAT (WR) ALUCOAT

Stonewool lamella mat laminated on one side with a grid-reinforced aluminum foil



Accessories (pages 50 - 54):
 PAROC AluCoat Tape
 PAROC Marine Tape Gerband 705
 PAROC Hvac Dots
 PAROC Head Pins Insulated
 PAROC Spatula
 PAROC Welding Device
 PAROC Pro Knife XTK001/003
 PAROC Galvanized Wire
 PAROC Pallet Hoods



INSULATION CODE
 10.03.02.99.05

-1000 °C

NON-COMBUSTIBLE

500 °C

50 kg/m³

20 - 120 mm

500/1000 mm

2400 - 10000 mm



Thickness	Length	m ² / Package	m ² / Pal.	Price
mm	mm			€/m ²
30	8000	8.00	200.00	18.90
40	6000	6.00	150.00	23.25
50	5000	5.00	125.00	26.20
60	4000	4.00	100.00	30.35
70	3500	3.50	87.50	34.90
80	3000	3.00	75.00	37.85
90	2500	2.50	62.50	42.80
100	2500	2.50	50.00	45.00
110	2400	2.40	24.00	53.45
120	2400	2.40	24.00	58.75



Please email to Paroc.de@owenscorning.com




LAMELLA MATS

PAROC PRO LAMELLA MAT (WR) 80 ALUcoat


Non-combustible stone wool insulation for thermal and condensation insulation of ventilation ducts and equipment. It has a reinforced aluminium foil facing




Accessories (pages 50 - 54):
PAROC AluCoat Tape
PAROC Marine Tape Gerband 705
PAROC Hvac Dots
PAROC Head Pins Insulated
PAROC Spatula
PAROC Welding Device
PAROC Pro Knife XTK001/003
PAROC Galvanized Wire
PAROC Pallet Hoods





INSULATION CODE
10.03.02.99.08



-1000 °C


NON-COMBUSTIBLE


500 °C


80 kg/m³


20 - 100 mm


500/1000 mm


2400 - 8000 mm




Need prices? Please email to Paroc.de@owenscorning.com

WIRED MATS

PAROC PRO WIRED MAT (WR) 550
PAROC PRO WIRED MAT (WR) 550 AL1

Stonewool wired mat with galvanized net. Available also with stainless steel net and/or sewing wire with water-repellent features

Accessories (pages 50 - 54):
 PAROC Pro Cladding Support
 PAROC Head Pins
 PAROC Galvanized Wire
 PAROC Pallet Hoods



INSULATION CODE
 10.01.02.50.07

-1000 °C

NON-COMBUSTIBLE

600 °C

70 kg/m³

30 - 120 mm

500/600/900/1000 mm

2000 - 8000 mm

OUTSTANDING WATER REPELLENCY


Need prices? Please email to Paroc.de@owenscorning.com

WIRED MATS

PAROC PRO WIRED MAT (WR) 660
 PAROC PRO WIRED MAT (WR) 660 AL1
 PAROC PRO WIRED MAT (WR) 660 ALUCOAT

Stonewool mat with wire thread quilting on galvanized wire mesh

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC HT Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Pro Cladding Support




INSULATION CODE
 10.01.02.50.08

-1000 °C

NON-COMBUSTIBLE

660 °C

80 kg/m³



Thickness mm	Length mm	m ² / Package	m ² / Pal.	Price
				€/m ² PAROC Pro Wired Mat (WR) 660
30	7000	7.00	147.00	16.15
40	5000	5.00	105.00	19.30
50	5000	5.00	105.00	22.00
60	4000	4.00	84.00	24.50
70	3500	3.50	73.50	27.30
80	3500	3.50	73.50	29.50
90	3000	3.00	63.00	32.70
100	2500	2.50	52.50	34.80
120	2000	2.00	42.00	40.10



Please email to Paroc.de@owenscorning.com




WIRED MATS

- PAROC PRO WIRED MAT 80*
- PAROC PRO WIRED MAT 80 COMFORT*
- PAROC PRO WIRED MAT 80 ALUCOAT*
- PAROC PRO WIRED MAT LE 80*
- PAROC PRO WIRED MAT LE 80 COMFORT*

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC HT Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Pro Cladding Support

Stonewool mat with wire thread quilting on galvanized wire mesh



INSULATION CODE
10.01.02.50.08

~1000 °C

NON-COMBUSTIBLE

640 °C


80 kg/m³

30 - 120 mm

500/600/900/1000 mm

2000 - 8000 mm

OUTSTANDING WATER REPELLENCY



*only available in certain markets


Need prices? Please email to Paroc.de@owenscorning.com

WIRED MATS

PAROC PRO WIRED MAT (WR) 680
PAROC PRO WIRED MAT WR 680 AL1
PAROC PRO WIRED MAT WR 680 ALUCOAT

Stonewool mat with wire thread quilting on galvanized wire mesh

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC HT Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Pro Cladding Support




INSULATION CODE
 10.01.03.60.10

-1000 °C

NON-COMBUSTIBLE

680 °C

100 kg/m³



Thickness	Length mm	m ² / Package	m ² / Pal.	Price
mm	mm			€/m ²
				PAROC Pro Wired Mat (WR) 680
30	7000	6.00	147.00	19.90
40	5000	5.00	105.00	23.45
50	4500	4.50	94.50	26.30
60	4000	4.00	84.00	30.55
70	3500	3.50	73.50	33.65
80	3500	3.50	73.50	36.45
90	3000	3.00	63.00	40.70
100	2500	2.50	52.50	43.15
120	2000	2.00	42.00	50.65



Please email to Paroc.de@owenscorning.com



WIRED MATS

PAROC PRO WIRED MAT 100*

PAROC PRO WIRED MAT 100 COMFORT*

PAROC PRO WIRED MAT 100 ALUCOAT*


PAROC PRO WIRED MAT LE 100*

PAROC PRO WIRED MAT LE 100 COMFORT*




Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC HT Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Pro Cladding Support


Stonewool mat with wire thread quilting on galvanized wire mesh




INSULATION CODE
 10.01.03.60.10

 **-1000 °C**

 **NON-COMBUSTIBLE**

 **660 °C**


 **100 kg/m³**

30 - 120 mm

500/600/900/1000 mm

2000 - 8000 mm

 **OUTSTANDING WATER REPELLENCY**



**only available in certain markets*

Need prices? Please email to Paroc.de@owenscorning.com

WIRED MATS

PAROC PRO WIRED MAT (WR) 700 TH1

PAROC PRO WIRED MAT (WR) 700 AL1 TH1






PAROC WIRED MAT (WR) 700 AL1 TH1/ALUCOAT TH1

Stonewool mat with wire thread quilting on galvanized wire mesh



Accessories (pages 50 - 54):

PAROC Head Pins Insulated
PAROC Head Pins
PAROC Pro Cladding Support
PAROC Galvanized Wire
PAROC Pallet Hoods



*not available in all markets

Thickness	Length mm	m ² / Package	m ² / Pal.	Price
mm	mm			€/m ²
				PAROC Pro Wired Mat (WR) 700 TH1
30	6000	6.00	126.00	29.85
40	5000	5.00	105.00	34.85
50	4500	4.00	94.50	42.65
60	4000	4.00	84.00	49.45
70	3000	3.00	63.00	54.65
80	2500	1.50	52.50	59.50
90	2500	1.25	52.50	65.90
100	2000	1.25	42.00	70.20



Please email to Paroc.de@owenscorning.com



LOOKING FOR HIGHER TEMPERATURE RESISTANCE?

W2 - stainless steel wire mesh and thread; **SW2** - galvanized wire mesh and stainless steel thread

PAROC Pro Wired Mat 550 W2 and PAROC Pro Wired Mat 550 SW2

PAROC Pro Wired Mat 660 W2 and PAROC Pro Wired Mat 660 SW2

PAROC Pro Wired Mat 680 W2 and PAROC Pro Wired Mat 680 SW2

PAROC Pro Wired Mat 700 W2 and PAROC Pro Wired Mat 700 SW2

SLABS

PAROC PRO ROOF SLAB (WR) 20 kPa

Non-combustible stonewool slab

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Head Pins
 PAROC Welding Device



INSULATION CODE
 10.07.01.99.09

-1000 °C

NON-COMBUSTIBLE

640 °C

50 - 160 mm

600 mm

1200 mm



It is designed to withstand working loads during installation and maintenance (20 kPa)

Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
50	1200	600	2.88	69.12	31.55
60	1200	600	2.88	57.60	37.90
80	1200	600	2.16	43.20	50.50
100	1200	600	1.44	34.56	63.00
120	1200	600	1.44	28.80	75.55



Please email to Paroc.de@owenscorning.com



SLABS



PAROC PRO ROOF SLAB (WR) 50 kPa

Non-combustible stonewool slab for industrial tank roofs.

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Head Pins
 PAROC Welding Device



INSULATION CODE
 10.07.05.90.15



30 - 140 mm

600 mm

1200 mm



It is designed to withstand working loads during installation and maintenance (50 kPa)

Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
40	1200	600	3.60	86.40	36.40
50	1200	600	2.88	69.12	44.60
60	1200	600	2.88	57.60	53.65
80	1200	600	2.16	43.20	72.40
100	1200	600	1.44	34.56	93.40
120	1200	600	1.44	28.80	105.75
140	1200	600	1.44	23.04	123.75



Please email to Paroc.de@owenscorning.com



SLABS


PAROC PRO ROOF SLAB 80 kPa*

Non-combustible stonewool slab for industrial tank roofs.


 **Accessories (pages 50 - 54):**
PAROC Pro Knife XTK001/003
PAROC Palett Hoods
PAROC Head Pins
PAROC Welding Device




INSULATION CODE
10.07.05.90.18


~1000 °C


NON-COMBUSTIBLE


660 °C


30 - 120 mm


600/1200 mm


1200/2400 mm



It is designed to withstand working loads during installation and maintenance (80 kPa)

**only available in certain markets*

Need prices? Please email to Paroc.de@owenscorning.com

SLABS



PAROC PRO SLAB (WR) 350
PAROC PRO SLAB (WR) 350 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC AluCoat Tape
 PAROC HT Tape



INSULATION CODE
 10.07.01.20.04



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
40	1200	600	8.64	86.40	10.90
50	1200	600	7.20	72.00	13.15
60	1200	600	5.76	57.60	16.30
80	1200	600	4.32	43.20	21.55
100	1200	600	3.60	36.00	26.30
120	1200	600	2.16	25.92	31.85
140	1200	600	2.16	25.92	39.65



Please email to Paroc.de@owenscorning.com




SLABS

PAROC PRO SLAB (WR) 450
PAROC PRO SLAB (WR) 450 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC AluCoat Tape
 PAROC HT Tape



INSULATION CODE
 10.07.01.30.06

-1000 °C

NON-COMBUSTIBLE

450 °C

60 kg/m³

25 - 250 mm

600 mm

1200 mm



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	10.08	100.80	12.15
40	1200	600	8.64	86.40	14.80
50	1200	600	5.76	69.12	17.40
60	1200	600	5.76	57.60	20.80
80	1200	600	4.32	43.20	27.65
100	1200	600	3.60	36.00	33.95
120	1200	600	2.88	28.80	42.85



Please email to Paroc.de@owenscorning.com



SLABS

PAROC PRO SLAB (WR) 640
PAROC PRO SLAB (WR) 640 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC AluCoat Tape
 PAROC HT Tape



INSULATION CODE
10.07.02.30.08

-1000 °C

NON-COMBUSTIBLE

640 °C

80 kg/m³



*25 - 250 mm for AluCoat version



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	8.64	103.68	16.95
40	1200	600	5.76	80.64	22.55
50	1200	600	5.04	70.56	26.95
60	1200	600	4.32	51.84	33.20
80	1200	600	2.88	40.32	44.95
100	1200	600	2.16	34.56	54.85
120	1200	600	2.16	25.92	62.35



Please email to Paroc.de@owenscorning.com



SLABS




PAROC PRO SLAB (WR) 660
PAROC PRO SLAB (WR) 660 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC AluCoat Tape
 PAROC HT Tape



INSULATION CODE
10.07.02.40.10



*25 - 210 mm for AluCoat version



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	5.76	115.20	22.40
40	1200	600	4.32	86.40	26.90
50	1200	600	3.60	72.00	33.00
60	1200	600	2.88	57.60	40.40
80	1200	600	2.16	43.20	53.55
100	1200	600	1.44	34.56	67.05
120	1200	600	1.44	28.80	81.55



Please email to
Paroc.de@owenscorning.com



SLABS



PAROC PRO SLAB (WR) 680
PAROC PRO SLAB (WR) 680 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC AluCoat Tape
 PAROC HT Tape



INSULATION CODE
10.07.03.70.12



*25 - 175 mm for AluCoat version



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	5.04	110.88	24.85
40	1200	600	3.60	86.40	35.00
50	1200	600	2.88	69.12	41.85
60	1200	600	2.88	57.60	50.25
80	1200	600	2.16	43.20	69.75
100	1200	600	1.44	34.56	86.45
120	1200	600	1.44	28.80	100.50



Please email to
Paroc.de@owenscorning.com



SLABS



PAROC PRO SLAB (WR) 700
PAROC PRO SLAB (WR) 700 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC AluCoat Tape
 PAROC HT Tape



INSULATION CODE
10.07.05.90.15



*25 - 140 mm for AluCoat version



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	5.04	110.88	27.75
40	1200	600	3.60	86.40	37.30
50	1200	600	2.88	69.12	46.95
60	1200	600	2.88	57.60	56.15
80	1200	600	2.16	43.20	74.85
100	1200	600	1.44	34.56	93.50
120	1200	600	1.44	28.80	112.20



Please email to Paroc.de@owenscorning.com



MATS

PAROC PRO MAT (WR) 350 PAROC PRO MAT (WR) 350 ALUCOAT

Non-combustible stone wool mat for industrial applications

Accessories (pages 50 - 54):
 PAROC AluCoat Tape
 PAROC Head Pins
 PAROC Head Pins Insulated
 PAROC Knives XTK001/003
 PAROC Welding Device
 PAROC Galvanized Wire
 PAROC Pallet Hoods



INSULATION CODE
10.06.99.99.50

-1000 °C

NON-COMBUSTIBLE

350 °C

50 kg/m³

30 - 120 mm

1000 mm

2500 - 8000 mm



**OUTSTANDING
WATER REPELLENCY**

Thickness	Length	m ² / Package	m ² / Pal.	Price
				€/m ² PAROC Pro Mat (WR) 350 AluCoat
mm	mm			
30	8000	8.00	168.00	13.80
40	7000	7.00	147.00	16.35
50	6500	6.50	136.50	18.65
60	6000	6.00	126.00	20.85
80	5000	5.00	105.00	25.45
100	4000	4.00	84.00	29.50
120	2500	2.00	52.50	34.80

**MISSING
A DIMENSION?**

Please email to Paroc.de@owenscorning.com



MATS


PAROC PRO MAT (WR) 640
PAROC PRO MAT (WR) 640 ALUCOAT

Non-combustible stone wool mat for industrial applications


 **Accessories (pages 50 - 54):**
PAROC AluCoat Tape
PAROC Head Pins
PAROC Head Pins Insulated
PAROC Knives XTK001/003
PAROC Welding Device
PAROC Galvanized Wire
PAROC Pallet Hoods





INSULATION CODE
10.06.99.99.80


~1000 °C


NON-COMBUSTIBLE


640 °C


80 kg/m³


30 - 120 mm


1000 mm


2000 - 8000 mm




OUTSTANDING
WATER REPELLENCY



Need prices? Please email to Paroc.de@owenscorning.com

MATS

PAROC PRO MAT (WR) 660
PAROC PRO MAT (WR) 660 ALUCOAT

Non-combustible stone wool mat for industrial applications



Accessories (pages 50 - 54):

- PAROC AluCoat Tape
- PAROC Head Pins
- PAROC Head Pins Insulated
- PAROC Knives XTK001/003
- PAROC Welding Device
- PAROC Galvanized Wire
- PAROC Pallet Hoods



INSULATION CODE
10.06.99.99.10

-1000 °C

NON-COMBUSTIBLE

660 °C

100 kg/m³

30 - 100 mm

1000 mm

2000 - 8000 mm



OUTSTANDING
WATER REPELLENCY

Need prices? Please email to Paroc.de@owenscorning.com

MATS





PAROC PRO LOOSE MAT (WR) 600

Stonewool mat with low binder content



Accessories (pages 50 - 54):

PAROC Pro Knife XTK001/003
PAROC Welding Device
PAROC Pallet Hood
PAROC Head Pins
PAROC Galvanized Wire



Need prices? Please email to Paroc.de@owenscorning.com

MATS





PAROC PRO LOOSE MAT (WR) 660

Stonewool mat with low binder content



Accessories (pages 50 - 54):

PAROC Pro Knife XTK001/003
PAROC Welding Device
PAROC Pallet Hood
PAROC Head Pins
PAROC Galvanized Wire



Need prices? Please email to Paroc.de@owenscorning.com

MATS

PAROC PRO LOOSE WOOL

Stone wool mat with low binder content

Accessories (pages 50 - 54):
 PAROC Pro Knife XTK001/003
 PAROC Welding Device
 PAROC Pallet Hood
 PAROC Head Pins
 PAROC Galvanized Wire



~1000 °C

NON-COMBUSTIBLE

300 °C

900/1000 mm

4000 mm

Foil bag	Bulk container	Price
kg	kg / Pal.	€/kg
14.00	504.00	4.45

MISSING
A DIMENSION?

Please email to Paroc.de@owen-scoring.com




CLAD-SYSTEM







PAROC PRO SECTION (WR) 140 CLAD T

Stonewool pipe section with a uv-resistant, fibre reinforced aluminium coating

Accessories (pages 48, 50-54):
 PAROC Clad Tape
 PAROC Pro Knife XTK001/003
 PAROC Pallet Hoods
 PAROC Galvanized Wire
 PAROC Spatula
 PAROC CUI Spacers



INSULATION CODE
 10.04.04.80.14



Inner diameter mm	Nominal insulation thickness, mm									
	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
18	12.45	16.40	21.05	27.90	35.85					
22	12.70	16.80	22.00	30.20	36.95	46.20	53.65			
28	13.00	18.35	22.75	30.25	39.35	47.60	56.90			
35	13.85	18.95	25.10	32.00	39.80	49.60	57.65	66.80	74.05	
42	15.70	21.05	27.70	33.05	41.80	49.95	59.65	67.50	76.60	
48	17.45	23.35	27.90	34.95	42.35	52.25	60.35	70.45	78.75	
54	17.85	23.50	28.70	36.05	44.35	52.65	62.60	70.95	80.95	
60	19.30	23.70	30.75	36.50	44.85	55.05	63.35	73.70	82.50	
64	19.40	25.75	31.35	39.00	44.90	55.15	63.80	74.55	83.40	113.10
70	24.30	26.75	33.50	39.35	47.60	55.85	65.65	75.05	85.80	114.20
76	24.85	28.70	34.30	41.85	48.25	58.10	66.15	77.35	86.75	115.60
89	27.55	31.20	36.65	44.65	51.35	60.60	68.15	79.45	88.95	120.75
102	30.35	33.90	39.80	48.15	54.30	63.90	72.00	83.15	91.50	124.60
108		34.50	41.85	48.25	57.20	64.75	74.25	83.45	93.95	126.90
114		36.70	42.70	50.95	57.75	67.50	75.30	86.10	95.00	128.10
127		38.70	44.95	52.65	59.65	69.70	77.75	92.65	96.90	131.60
133		39.65	47.50	54.40	63.60	71.70	81.85	95.00	101.75	134.95



Please email to Paroc.de@owenscorning.com



CLAD-SYSTEM

PAROC PRO SECTION (WR) 140 CLAD T

Stonewool pipe section with a uv-resistant, fibre reinforced aluminium coating



Accessories (pages 48, 50-54):

- PAROC Clad Tape
- PAROC Pro Knife XTK001/003
- PAROC Pallet Hoods
- PAROC Clad Alu Tape
- PAROC Galvanized Wire
- PAROC Spatula
- PAROC CUI Spacers

Nominal insulation thickness, mm										
Inner diameter mm	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
140		42.00	48.30	57.35	64.55	74.70	83.15	99.60	103.20	137.70
159		44.95	53.20	60.60	69.80	78.35	88.85	103.95	109.90	144.45
168		58.25	66.80	73.35	83.55	96.10	106.95	121.55	134.50	166.35
194		65.60	74.60	83.85	92.30	105.60	118.35	133.90	147.70	
219		74.05	81.10	89.95	98.75	112.05	123.85	139.25	152.85	186.75
245		95.70	109.05	122.25	134.30	150.25	164.25	183.30	202.15	227.70
273		104.45	118.90	128.25	141.55	157.15	178.40	195.90	202.95	241.25
305							186.00	194.80	212.20	251.55
324							190.85	206.60	223.60	265.75
356							195.15	212.05	227.45	270.90
371							211.00	228.15	246.55	285.95
406							232.05	249.80	268.75	311.30
457							246.45	270.35	295.80	344.80







CLAD-SYSTEM

PAROC PRO COMBI (WR) 140 CLAD T

Prefabricated insulation component made of stonewool with a uv-resistant, fibre reinforced aluminium coating



Accessories (pages 48, 50-54):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Nominal insulation thickness, mm			
Inner diameter mm	30	40	50
	€/m	€/m	€/m
12 bis 18	16.40	21.05	27.90
22 bis 28	18.35	22.75	30.25
32 bis 38	18.95	25.10	32.00
42 bis 48	23.35	27.90	34.95



Please email to Paroc.de@owenscorning.com









CLAD-SYSTEM

PAROC PRO BEND (WR) 140 CLAD

Prefabricated insulation component made of stonewool with a uv-resistant, fibre reinforced aluminium coating



Accessories (pages 48, 50-54):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers








Need prices? Please email to Paroc.de@owenscorning.com

CLAD-SYSTEM

PAROC PRO SEGMENT (WR) 140 CLAD

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section with a uv-resistant, fibre reinforced aluminium coating

 **Accessories (pages 48, 50-54):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com

CLAD-SYSTEM

PAROC PRO LAMELLA MAT (WR) CLAD




Stonewool lamella mat with UV-resistant, fibre reinforced aluminium coating

Accessories (pages 48, 50-54):

- PAROC Clad Tape
- PAROC Clad Dots
- PAROC Head Pins Insulated
- PAROC Pro Knife XTK001/003
- PAROC Welding Device
- PAROC Pallet Hoods
- PAROC Pro Roof Wedge (WR)
- PAROC Galvanized Wire
- PAROC Spatula



INSULATION CODE
10.03.02.99.05



Thickness	Length	m ² / Package	m ² / Pal.	Price
mm	mm			€/m ²
20	10000	10.00	250.00	55.50
30	8000	8.00	200.00	57.70
40	6000	6.00	150.00	61.20
50	5000	5.00	125.00	63.40
60	2400		48.00	66.30
70	2400		40.80	70.15
80	2400		36.00	72.15
100	2400		28.80	77.75



Please email to Paroc.de@owenscorning.com



CLAD-SYSTEM ACCESSORIES

PAROC CLAD DOTS

PAROC Clad Dots are the optimal solution when it comes to cover pins' heads



Application

- Maximum surface temperature where PAROC Clad Dots will be applied must not exceed 80 °C

Ø mm	Piece / roll	Rolls per box
mm		
90	100	6

PAROC CLAD TAPE

Water resistant butyl rubber tape with very high adhesion and ageing resistance



Application

- Recommended for closing joint on installations with Clad faced products.
The butyl sealing tape can be used as moisture and diffusion barriers
- PAROC Clad Tape gives a great finish
- Maximum surface temperature where PAROC Clad Tape will be applied must not exceed 80 °C

Length mm	Width mm	Rolls per box
mm	mm	
10000	30	20
10000	50	12
10000	75	8
10000	100	6

PAROC CLAD ALU TAPE

Weather resistance acrylic tape based on a special thermoplastic laminate compound with pure aluminum and PVC



Application


- The tape provides excellent ageing resistance and is ideal e. g. for sealing the joints of PAROC Clad faced elbows. Recommended for outdoor applications.
- Clad Alu Tape gives a great finish
- Maximum surface temperature where PAROC Clad Tape will be applied must not exceed 80 °C

Need prices? Please email to Paroc.de@owenscorning.com

Length m	Width mm	Rolls per box
50	50	12

PAROC PRO ROOF WEDGE (WR)

Stonewool wedge plate with a gradient of at least 3%. The length measure corresponds to the longitudinal direction of the duct.



Need prices? Please email to Paroc.de@owenscorning.com

Thickness	Length	Width	m ² / Pal.	m ² / Pack
mm	mm	mm		
42/60	1200	600	34.56	
42/60	1200	600		4.32
25/60	600	1200	35.28	
25/60	600	1200		5.04
25/60	1200	600	35.28	
25/60	1200	600		5.04

OUTER DIAMETER FOR PIPE INSULATION: PIPE SECTIONS AND SEGMENTS

Inner diameter mm	Nominal insulation thickness, mm															
	20	25	30	40	50	60	70	80	90	100	110	120	130	140	150	160
	Outer diameter, mm															
12/15	52	62	72	92	115											
18	62	72	82	102	115	141										
22	62	72	82	102	128	141	167	180								
28	72	82	92	102	128	154	167	193								
35	72	82	92	115	141	154	180	193	219	232						
42	82	92	102	128	141	167	180	206	219	245						
48	92	102	115	128	154	167	193	206	232	245						
54	92	102	115	128	154	180	193	219	232	258						
57	102	102	115	141	154	180	193	219	232	258						
60	102	115	115	141	154	180	206	219	245	258						
64	102	115	128	141	167	180	206	219	245	258	284	310				
70	115	115	128	154	167	193	206	232	245	271	284	310				
76	115	128	141	154	180	193	219	232	258	271	297	310				
84			141	167	180	206	219	245	258	284	310	323				
89	128	141	154	167	193	206	232	245	271	284	310	323				
102	141	154	167	180	206	219	245	258	284	297	323	336				
108		154	167	193	206	232	245	271	284	310	323	349				
114		167	180	193	219	232	258	271	297	310	336	349				
121		167	180	206	219	245	258	284	297	323	336	362				
127		180	193	206	232	245	271	284	310	323	349	362				
133		180	193	219	232	258	271	297	310	336	349	375				
140		193	206	219	245	258	284	297	323	336	362	375				
156		206	219	232	258	271	297	310	336	362	375	401				
159		206	219	245	258	284	297	323	336	362	375	401				
168		219	232	245	271	284	310	323	349	362	388	414				
178		232	232	258	284	297	323	336	362	375	401	414				
194		245	258	271	297	310	336	349	375	388	414					
208			271	284	310	323	349	362	388	414	427					
219			284	297	323	336	362	375	401	414	440	453	479	505	518	544
230			284	310	336	349	375	388	414	427	453	466	492	505	531	544
240			297	323	336	362	375	401	414	440	466	479	505	518	544	557
245			310	323	349	362	388	401	427	440	466	479	505	531	544	570
259			323	336	362	375	401	414	440	453	479	505	518	544	557	583
273			336	349	375	388	414	427	453	479	492	518	531	557	570	596
289			349	375	388	414	427	453	466	492	505	531	544	570	583	609
295			349	375	401	414	440	453	479	492	518	531	557	570	596	609
305			362	388	401	427	440	466	479	505	531	544	570	583	609	622
324			388	401	427	440	466	479	505	518	544	570	583	609	622	648
356			414	440	453	479	492	518	531	557	570	596	622	635	661	674
371			427	453	466	492	505	531	557	570	596	609	635	648	674	687
377			440	453	479	492	518	531	557	583	596	622	635	661	674	700
406			466	492	505	531	544	570	583	609	622	648	661	687	700	726
426			492	505	531	544	570	583	609	622	648	661	687	700	726	752
457			518	531	557	583	596	622	635	661	674	700	713	739	752	778
479			544	557	583	596	622	635	661	674	700	713	739	765	778	804
490			544	570	596	609	635	648	674	687	713	726	752	765	791	804
508			570	583	609	622	648	674	687	713	726	752	765	791	804	830
533				609	635	648	674	687	713	739	752	778	791	817	830	856
558				635*	661	674	700	713	739	752	778	804	817	843	856	882
612				687*	713	726	752	778	791	817	830	856	869	895	908	934
630				713*	726	752	765	791	804	830	856	869	895	908	934	947
665				739*	765	791	804	830	843	869	882	908	921	947	960	986
714					817	830	856	869	895	908	934	960	973	999	1012	1038*
720					817	843	856	882	895	921	934	960	986	999	1025	1038*
762					856	882	908	921	947	960	986	999	1025	1038	1064*	1077*
813					908	934	947	973	999	1012	1038	1051	1077	1090	1116*	1129*
822					921	947	960	986	999	1025	1038	1064	1077	1103	1116	1142
914					1012	1038	1051	1077	1090	1116	1129	1155	1168	1194	1220	
1016							1155	1181	1194	1220						

Blank box - not made
414 Underlined - delivered hinged or halves (F1) according to request (F1 disallows AluCoat T)
427 Red - delivered only in halves (F1)
 Not made with facings

 Not made in 140 kg density
635* Red with asterisk - not made in WR 140 kg density
 Boundary of selection available with facing AluCoat T
 Boundary of selection available as Pro Lock

ACCESSORIES

PAROC PALLET HOODS



Application

- Protective hood is great for covering pallets against dirt, moisture and dust

Length mm	Width mm	Max. pallet size in mm	PU	Price
mm	mm	mm		€/pc
1600	3300	1200 x 1200	10	15.50
1600	2100	1200 x 1200	10	12.05

PAROC PRO KNIFE – XTK 001



- Particularly suitable for cutting PAROC products (Clad systems)
- Number scale on the blade (determination of insulation thickness)

Blade	Grind blade	Item
mm		
approx.300	Serrated edge (serrated)	XTK 001

PAROC PRO KNIFE – XTK 003




- Suitable for cutting PAROC products
- Number scale on the blade (determination of insulation thickness)

Blade	Grind blade	Item
mm		
approx.300	Smooth finish	XTK 003

PAROC SPATULA




- Plastic spatula for supporting pressure and for optical smoothing of the tape



Length	Width	PU
mm		Pieces / box
100	70	20

ACCESSORIES

PAROC CUI SPACERS



- Silicone distance block qualified for high-temperature environment. These constitute an elegant solution for minimizing corrosion under insulation (CUI).
- PAROC CUI Spacer is made of a high-temperature and high-performance silicone material creating a 13 mm air gap between the insulation material and the pipe surface, allowing moisture to dry out and leading water away from the pipe surface. For dimensioning guidance, please refer to the separate dimensioning guide.

Height	Diameter	Pieces
mm	mm	Package
PAROC CUI Spacer		
13	12-25	200
PAROC CUI Spacer with Spring		
13	12-25	100

PAROC CUI SPACERS (BELT)



- PAROC CUI Belt is a PTFE ring qualified for high-temperature environment, tailored to accommodate and align PAROC CUI Spacers around a pipe. Together, these constitute an elegant solution for minimizing corrosion under insulation (CUI).
- PAROC CUI Belt acts as support structure for PAROC CUI Spacers, facilitating easy installation and a uniform 13 mm air gap between the insulation material and the pipe surface, allowing moisture to dry out and leading water away from the pipe surface. For dimensioning guidance, please refer to the separate dimensioning guide.

Length	Width	Thickness	Pieces / Package
mm	mm	mm	
3000	30	0.9	25

ACCESSORIES

PAROC HEAD PINS INSULATED



Application

- Fastening of PAROC products

Technical specifications

- Pin made of St37 copper-plated
- Plate made of St37 galvanized
- Resistant against hail impact

Length	Plate diameter	Number of pieces/Package
mm	mm	
19.0	30	1000
22.2	30	1000
28.5	30	1000
30.5	30	1000
38.0	30	1000
41.0	30	1000
47.6	30	1000
50.0	30	1000
54.0	30	1000
58.0	30	1000
60.5	30	1000
62.0	30	1000
68.0	30	500
72.0	30	500
78.0	30	500
89.0	30	500
98.5	30	500
101.6	30	500

PAROC HEAD PINS



Application

- Fastening of PAROC products

Technical specifications

- Pin made of St37 copper-plated
- Plate made of St37 galvanized

Length	Plate diameter	Number of pieces/Package
mm	mm	
19.0	30	1000
22.2	30	1000
28.5	30	1000
30.5	30	1000
38.0	30	1000
41.0	30	1000
47.6	30	1000
50.0	30	1000
54.0	30	1000
58.0	30	1000
60.5	30	1000
62.0	30	1000
68.0	30	500
72.0	30	500
78.0	30	500
89.0	30	500
98.5	30	500
101.6	30	500

ACCESSORIES

PAROC WELDING DEVICE



Application

- The PAROC capacitor discharge welding device PPWD has been designed for welding directly through the insulation. With this, you will be able to fasten the insulation to a surface in a one process step.

Capacity	Energy supply	Welding time	Weight	Size	Warranty
μF		ms	kg	mm	months
132.000	230 V, 10A fuse protection	from 1 to 3	11	430 x 165 x 180	12

PAROC ALUCOAT TAPE

Fiberglass reinforced aluminum tape with acrylic pressure sensitive low temperature flame-retardant acrylic adhesive and silicized release paper liner. PAROC logo printed on the surface.



Application

- Great for sealing joints when using PAROC AluCoat products such as sections, lamella mats or slabs
- Gives a great finish

Technical specifications

- Surface temperature of the insulation (processing temperature) +5 °C to +40 °C
- Temperature resistance -35 °C to +120 °C
- The surface of the insulation must be dry, free of dust and grease - dry storage at an ambient temperature of +18 °C to +25 °C and protected from direct sunlight

Length	Width	Rolls per box	Cartons/pallet
mm	mm		
50000	50	24	24
50000	75	16	24

PAROC GALVANIZED WIRE

Galvanized wire for spiral winding of pipe sections etc.



Thickness	About number	Package
mm	of coils	kg
0.70	250	25

PAROC HT TAPE

Special-purpose high temperature protection tape featuring outstanding adhesive strength. Maximal working temperature is 350 °C (peak), 250 °C (continuously)



Application

- Great for PAROC Fire Place Slabs and other high temperature applications
- Highly temperature resistant

Length mm	Width mm	Rolls per box	Cartons/pallet
50000	50	24	24
50000	80	18	24
50000	110	12	24

PAROC HVAC DOTS

A great solution for covering the head pins used on lamella mat on a duct in a fast, clean, even, moisture resistant and convenient way



Application

- Large portfolio of accessories:
Complete system including PAROC Head Pin, spatula, PAROC Hvac Lamella Mat AluCoat, PAROC Hvac Tape and PAROC Hvac Dots
- For low waste on the construction site
- Only spatula needed for fixation

Ø	Piece / roll	Rolls per box
mm		
60	750	8

PAROC PRO CLADDING SUPPORT 100 AND 140

Mineral wool supporting ring



Application

- Easy to use and an obvious solution which can substitute standard metal supporting rings for heavy metal claddings without creating thermal bridges
- Beneficial when using material with poor compression strength for pipe insulation

Thickness mm	Diameter mm	Maximum service temperature
50 - 120	114 - 1016	640 °C - PAROC Pro Cladding Support 100 680 °C - PAROC Pro Cladding Support 140


Other dimensions on request

PAROC® stands for energy-efficient and fire safe insulation solutions of stone wool for new and renovated buildings, marine and offshore, acoustics and other industrial applications. Behind those products, there is an 80-year history of stone wool production knowhow backed with technical insulation expertise and innovation.

Building Insulation offering covers a wide range of products and solutions for all traditional building insulation. The building insulation products are mainly used for the thermal, fire and sound insulation of exterior walls, roofs, floors and basements, intermediate floors and partitions. Sound absorbing ceilings and wall panels for interior acoustic control, as well as industrial noise control products, are available in the range.

Technical Insulation offering includes thermal, fire and sound insulation in HVAC systems, industrial processes and pipework, industrial equipment as well as shipbuilding and offshore industry.

*For more information please visit **www.paroc.com***



Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Paroc makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein. Paroc reserves the right to modify this document without prior notice.

Applications: April 2024
1030TIDE0424
© Paroc 2024

